

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A computer-implemented method for providing an interactive, menu-driven interface to a cellular site information database comprising cell site data, the method comprising:

receiving a form name input, ~~wherein the form name input corresponds~~
corresponding to a plurality of a type of cell site data stored on a plurality of forms in the
cellular site information database, wherein the plurality of forms include a plurality of
fields;

in response to receiving the form name input, displaying on a display
device ~~a blank~~ one of the plurality of forms on which the ~~plurality of type of cell site data~~
corresponding to the received form name input is stored, wherein the plurality of fields of
the displayed one of the plurality of forms are blank;

after displaying the one of the plurality of forms on which the type of cell
site data corresponding to the received form name input is stored, receiving a ~~key field on~~
~~the displayed form~~ value in one of the plurality of blank fields, wherein the ~~key field~~
value corresponds to a cellular site;

generating a plurality of queries to retrieve the ~~plurality of type of cell site~~
data corresponding to the form name input ~~and the identified for the~~ cellular site
corresponding to the received value from the cellular site information database;

sending the plurality of queries to the cellular site information database;

receiving the ~~plurality of type of cell site data~~ corresponding to the form
name input ~~and the identified for the~~ cellular site corresponding to the received value
from the cellular site information database;

displaying the ~~plurality of type of cell site data~~ corresponding to the form
name input ~~and the identified for the~~ cellular site corresponding to the received value
from the cellular site information database ~~on the displayed form in the plurality of blank~~
fields of the displayed one of the plurality of forms;

receiving user input editing ~~the plurality of data~~ the data in at least one of
the plurality of fields;

generating commands corresponding to the user input to edit the ~~plurality~~
~~of~~ data; and

sending the commands to the cellular site information database to edit the
~~plurality of~~ data.

2. (Currently Amended) The method of claim 1 wherein the ~~key field~~ value
corresponding to the cellular site is input by a user.

3. (Original) The method of claim 1 wherein the cellular site information
database is an Ericsson database.

4. (Original) The method of claim 1 wherein the plurality of queries are SQL
queries.

5. (Currently Amended) The method of ~~claim 3~~ claim 1 wherein the plurality of
queries are a plurality of line commands that are executed by a command handler
application which interfaces with the cellular site information database.

6. (Original) The method of claim 5 wherein the command handler application is
operated in conjunction with a cellular site operating system.

7. (Original) The method of claim 6 wherein the cell site operating system is an
Ericsson Operation & Support System (OSS).

8. (Original) A computer-readable medium comprising computer-readable
instructions which, when executed, are operable to perform the steps of claim 1.

9. (Original) The method of claim 1 wherein the form name input is chosen from
one of the following: channel, cell, trunk group and trunk member.

10. (Canceled)

11. (Previously Presented) The method of claim 1 wherein the commands are SQL commands.

12. (Currently Amended) A cellular site information database system, comprising:

a database for maintaining a plurality of forms related to a cellular site, wherein the plurality of forms include a plurality of fields;

a cellular processor connected to the database for accessing the plurality of forms stored in the database; and

an update application program module in communication with the cellular processor, wherein the update application program module is operative to

receive a form name input, wherein the form name input corresponds to ~~a plurality of a type of~~ data stored on ~~a plurality~~ the plurality of forms in the cellular site information database;

in response to receiving the form name input, display on a display device ~~a blank~~ one of the plurality of forms on which the ~~plurality of type of~~ data corresponding to the received form name input is stored, wherein the plurality of fields of the displayed one of the plurality of forms are blank;

after displaying the one of the plurality of forms on which the type of data corresponding to the received form name input is stored, receive a ~~key field on the displayed form~~ value in one of the plurality of blank fields, wherein the ~~key field~~ value corresponds to the cellular site;

generate a plurality of queries to retrieve the ~~plurality of type of~~ data corresponding to the form name input ~~and for~~ the cellular site corresponding to the received value from the cellular site information database; and

display the ~~plurality of type of~~ data corresponding to the form name input ~~and for~~ the cellular site corresponding to the received value from the cellular site information database ~~on the displayed form~~ in the plurality of blank fields of the

displayed one of the plurality of forms.

13. (Original) The cellular site information database system of claim 12, wherein the update application program module is further operative to transmit commands to the cellular processor.

14. (Original) The cellular site information database system of claim 13, wherein the commands are SQL commands.

15. (Original) The cellular site information database system of claim 14, wherein the SQL commands comprise an update command.

16. (Original) The cellular site information database system of claim 14, wherein the SQL commands comprise a review command.

17. (Original) The cellular site information database system of claim 14, wherein the SQL commands comprise an insert command.

18. (Original) The cellular site information database system of claim 14, wherein the SQL commands comprise a delete command.

19. (Currently Amended) A method for editing a cellular site information database, comprising:

receiving a form name input, ~~wherein the form name input corresponds~~
corresponding to a plurality of a type of data stored on a plurality of forms in the cellular
site information database, wherein the plurality of forms include a plurality of fields;

in response to receiving the form name input, displaying on a display
device ~~a blank~~ one of the plurality of forms on which the ~~plurality of type of data~~
corresponding to the received form name input is stored, wherein the plurality of fields of
the displayed one of the plurality of forms are blank;

after displaying the one of the plurality of forms on which the type of data corresponding to the received form name input is stored, receiving a key field on the displayed form value in one of the plurality of blank fields, wherein the key field value corresponds to a cellular site;

generating a plurality of queries to retrieve the plurality of type of data corresponding to the form name input and the identified for the cellular site corresponding to the received value from the cellular site information database;

receiving the type of data corresponding to the form name input for the cellular site corresponding to the received value from the cellular site information database;

displaying the type data corresponding to the form name input for the cellular site corresponding to the received value from the cellular site information database in the plurality of blank fields of the displayed one of the plurality of forms;

receiving an edited values value for a plurality of fields in the form at least one of the plurality of fields of the displayed one of the plurality of forms;

receiving a selection of an action command, wherein the action command corresponds to an operation to be performed on the displayed one of the plurality of forms;

generating a plurality of editing commands corresponding to the selected action command to edit the edited values for the plurality of fields in the form at least one of the plurality of fields; and

transmitting the plurality of editing commands to the cellular site information database.

20. (Currently Amended) The method of claim 20 wherein the ~~plurality of commands and~~ plurality of editing commands are SQL commands.